

SBPP200 系列



Modell	Schachtdurchmesser		Abmessungen (mm/in)									Bolzensgröße		Lagermodell	Lagersitzmodell	Gewicht (kg)
	mm	In	H	A	e	B	S	T	w	N	Bi	mm	In			
SBPP201-8	1/2		22.2	86	68	25	9.5	3.2	44	6	22	M8	5/16	SB201-8	PP203	0.16
SBPP202-9	9/16		22.2	86	68	25	9.5	3.2	44	6	22	M8	5/16	SB202-9	PP203	0.16
SBPP202-10	5/8		22.2	86	68	25	9.5	3.2	44	6	22	M8	5/16	SB202-10	PP203	0.16
SBPP203-11	11/16		22.2	86	68	25	9.5	3.2	44	6	22	M8	5/16	SB203-11	PP203	0.16
SBPP201		12	22.2	86	68	25	9.5	3.2	44	6	22	M8	5/16	SB201	PP203	0.16
SBPP202		15	22.2	86	68	25	9.5	3.2	44	6	22	M8	5/16	SB202	PP203	0.16
SBPP203		17	22.2	86	68	25	9.5	3.2	44	6	22	M8	5/16	SB203	PP203	0.16
SBPP204-12	3/4	20	25.4	98	76	32	9.5	3.2	50	7	25	M8	5/16	SB204-12	PP204	0.21
SBPP204			25.4	98	76	32	9.5	3.2	50	7	25	M8	5/16	SB204	PP204	0.21
SBPP205-13	13/16		28.6	108	86	32	11.5	4	56	7.5	27	M10	3/8	SB205-13	PP205	29
SBPP205-14	7/8		28.6	108	86	32	11.5	4	56	7.5	27	M10	3/8	SB205-14	PP205	29
SBPP205-15	15/16		28.6	108	86	32	11.5	4	56	7.5	27	M10	3/8	SB205-15	PP205	29
SBPP205-16	1		28.6	108	86	32	11.5	4	56	7.5	27	M10	3/8	SB205-16	PP205	29
SBPP205		25	28.6	108	86	32	11.5	4	56	7.5	27	M10	3/8	SB205	PP205	29
SBPP206-17	1-1-16		33.3	117	95	38	11.5	4	66	8	30	M10	3/8	SB206-17	PP206	0.45
SBPP206-18	1-1-8		33.3	117	95	38	11.5	4	66	8	30	M10	3/8	SB206-18	PP206	0.45
SBPP206-19	1-3-16		33.3	117	95	38	11.5	4	66	8	30	M10	3/8	SB206-19	PP206	0.45
SBPP206-20	1-1-4		33.3	117	95	38	11.5	4	66	8	30	M10	3/8	SB206-20	PP206	0.45
SBPP206		30	33.3	117	95	38	11.5	4	66	8	30	M10	3/8	SB206	PP206	0.45
SBPP207-20	1-1-4		39.7	129	106	42	11.5	4.6	78	8.5	32	M10	3/8	SB207-20	PP207	0.61
SBPP207-21	1-5-16		39.7	129	106	42	11.5	4.6	78	8.5	32	M10	3/8	SB207-21	PP207	0.61
SBPP207-22	1-3-8		39.7	129	106	42	11.5	4.6	78	8.5	32	M10	3/8	SB207-22	PP207	0.61
SBPP207-23	1-7-16		39.7	129	106	42	11.5	4.6	78	8.5	32	M10	3/8	SB207-23	PP207	0.61
SBPP207		35	39.7	129	106	42	11.5	4.6	78	8.5	32	M10	3/8	SB207	PP207	0.61