

# UCFC200 系列



Modell	Schachtdurchmesser		Abmessungen (mm/in)														Bolzengröße		Lagermodell	Lagersitzmodell	Gewicht (kg)
	In	mm	A	p	(e)	i	S	j	k	G	f	T	z1	z	Bi	N	mm	In			
UCFC201-8	1/2		100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	UC201-8	FC204	0.55
202-9	9/16		100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	202-9	FC204	0.55
202-10	5/8		100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	202-10	FC204	0.55
203-11	11/16		100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	203-11	FC204	0.55
204-12	3/4		100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	204-12	FC204	0.55
UCFC201		12	100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	UC201	FC204	0.55
202		15	100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	202	FC204	0.55
203		17	100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	203	FC204	0.55
204		20	100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	204	FC204	0.55
UCFC205-13	13/16		115	90	63.6	10	12	6	7	21	70	2	38.5	29.7	34.1	14.3	M10	3/8	UC205-13	FC205	0.8
205-14	7/8		115	90	63.6	10	12	6	7	21	70	2	38.5	29.7	34.1	14.3	M10	3/8	205-14	FC205	0.8
205-15	15/16		115	90	63.6	10	12	6	7	21	70	2	38.5	29.7	34.1	14.3	M10	3/8	205-15	FC205	0.8
205-16	1		115	90	63.6	10	12	6	7	21	70	2	38.5	29.7	34.1	14.3	M10	3/8	20516	FC205	0.8
UCFC205		25	115	90	63.6	10	12	6	7	21	70	2	38.5	29.7	34.1	14.3	M10	3/8	UC205	FC205	0.8
UCFC206-17	1-1/16		125	100	70.7	10	12	8	8	23	80	2	41	32.2	38.1	15.9	M10	3/8	UC206-17	FC206	1
206-18	1-1/8		125	100	70.7	10	12	8	8	23	80	2	41	32.2	38.1	15.9	M10	3/8	206-18	FC206	1
206-19	13/16		125	100	70.7	10	12	8	8	23	80	2	41	32.2	38.1	15.9	M10	3/8	206-19	FC206	1
206-20	1-1/4		125	100	70.7	10	12	8	8	23	80	2	41	32.2	38.1	15.9	M10	3/8	206-20	FC206	1
UCFC206		30	125	100	70.7	10	12	8	8	23	80	2	41	32.2	38.1	15.9	M10	3/8	UC206	FC206	1
UCFC207-20	1-1/4		135	110	77.8	11	14	8	9	26	90	3	47	36.4	42.9	17.5	M12	7/16	UC207 20	FC207	1.2
207-21	1-5/16		135	110	77.8	11	14	8	9	26	90	3	47	36.4	42.9	17.5	M12	7/16	207-21	FC207	1.2
207-22	1-3/8		135	110	77.8	11	14	8	9	26	90	3	47	36.4	42.9	17.5	M12	7/16	207-22	FC207	1.2
207-23	1-7/16		135	110	77.8	11	14	8	9	26	90	3	47	36.4	42.9	17.5	M12	7/16	207-23	FC207	1.2
UCFC207		35	135	110	77.8	11	14	8	9	26	90	3	47	36.4	42.9	17.5	M12	7/16	UC207	FC207	1.2
UCFC208-24	1-1/2		145	120	84.8	11	14	10	9	26	100	3	52	41.2	49.2	19	M12	7/16	UC208-24	FC208	1.45
208-25	1-9/16		145	120	84.8	11	14	10	9	26	100	3	52	41.2	49.2	19	M12	7/16	208-25	FC208	1.45
UCFC208		40	145	120	84.8	11	14	10	9	26	100	3	52	41.2	49.2	19	M12	7/16	UC208	FC208	1.45
UCFC209-26	1-5/8		160	132	93.3	10	16	12	14	26	105	3	51	40.2	49.2	19	M14	1/2	UC209-26	FC209	2.1
209-27 209-28	1-11/16 1-3/4		160	132	93.3	10	16	12	14	26	105	3	51	40.2	49.2	19	M14	1/2	209 27 209 -28	FC209	2.1
UCFC209		45	160	132	93.3	10	16	12	14	26	105	3	51	40.2	49.2	19	M14	1/2	UC209	FC209	2.1
UCFC210-29	1-13/16		165	138	97.6	10	16	12	14	28	110	4	53.5	42.6	51.6	19	M14	1/2	UC210-29	FC210	2.1
210-30	1-7/8		165	138	97.6	10	16	12	14	28	110	4	53.5	42.6	51.6	19	M14	1/2	210-30	FC210	2.1
210-31	1-15/16		165	138	97.6	10	16	12	14	28	110	4	53.5	42.6	51.6	19	M14	1/2	210-31	FC210	2.1
210-32	2		165	138	97.6	10	16	12	14	28	110	4	53.5	42.6	51.6	19	M14	1/2	21032	FC210	2.1
UCFC210		50	165	138	97.6	10	16	12	14	28	110	4	53.5	42.6	51.6	19	M14	1/2	UC210	FC210	2.1
UCFC211-32	2		185	150	106.1	13	19	12	15	31	125	4	59	46.4	55.6	22.2	M16	5/8	UC211-32	FC211	3.1
211-33	2-1/16		185	150	106.1	13	19	12	15	31	125	4	59	46.4	55.6	22.2	M16	5/8	211-33	FC211	3.1
211-34	2-1/8		185	150	106.1	13	19	12	15	31	125	4	59	46.4	55.6	22.2	M16	5/8	211-34	FC211	3.1
211-35	2-3/16		185	150	106.1	13	19	12	15	31	125	4	59	46.4	55.6	22.2	M16	5/8	211-35	FC211	3.1
UCFC211		55	185	150	106.1	13	19	12	15	31	125	4	59	46.4	55.6	22.2	M16	5/8	UC211	FC211	3.1
UCFC212-36	2-1/4		195	160	113.1	17	19	12	15	36	135	4	68	56.7	65.1	25.4	M16	5/8	UC212-36	FC212	3.2
212-37	2-5/16		195	160	113.1	17	19	12	15	36	135	4	68	56.7	65.1	25.4	M16	5/8	212-37	FC212	3.2

## UCFC200 系列

212-38	2-3/8		195	160	113.1	17	19	12	15	36	135	4	68	56.7	65.1	25.4	M16	5/8	212-38	FC212	3.2
212-39	2-7/16		195	160	113.1	17	19	12	15	36	135	4	68	56.7	65.1	25.4	M16	5/8	212-39	FC212	3.2
UCFC212		60	195	160	113.1	17	19	12	15	36	135	4	68	56.7	65.1	25.4	M16	5/8	UC212	FC212	3.2
UCFC213-40	2-1/2		205	170	120.2	16	19	14	15	36	145	4	69.5	55.7	65.1	25.4	M16	5/8	UC213-40	FC213	3.75
213-41	2 9/16		205	170	120.2	16	19	14	15	36	145	4	69.5	55.7	65.1	25.4	M16	5/8	213-41	FC213	3.75
UCFC213		65	205	170	120.2	16	19	14	15	36	145	4	69.5	55.7	65.1	25.4	M16	5/8	UC213	FC213	3.75
UCFC214-42	2 5/8		215	177	125.1	17	19	14	18	40	150			61.4	74.6	30.2	M16	5/8	UC214-42	FC214	4.75
214-43 214-44	2-11/16 2-3/4		215	177	125.1	17	19	14	18	40	150			61.4	74.6	30.2	M16	5/8	214-43 214-44	FC214	4.75
UCFC214		70	215	177	125.1	17	19	14	18	40	150			61.4	74.6	30.2	M16	5/8	UC214	FC214	4.75
UCFC215-45	2-13/16		220	184	130.1	18	19	16	18	40	160			62.5	77.8	33.3	M16	5/8	UC215-45	FC215	5
215-46	2-7/8		220	184	130.1	18	19	16	18	40	160			62.5	77.8	33.3	M16	5/8	21546	FC215	5
215-47	2-15/16		220	184	130.1	18	19	16	18	40	160			62.5	77.8	33.3	M16	5/8	215-47	FC215	5
215-48	3		220	184	130.1	18	19	16	18	40	160			62.5	77.8	33.3	M16	5/8	215-48	FC215	5
UCFC215		75	220	184	130.1	18	19	16	18	40	160			62.5	77.8	33.3	M16	5/8	UC215	FC215	5
UCFC216-50 UCFC216	3-1/8	80	240	200	141.4	18	23	16	18	42	170			67.3	82.6	33.3	M20	3/4	UC216-50 UC216	FC216	6.1
UCFC217-52 UCFC217	3-1/4	85	250	208	147.1	18	23	18	20	45	180			69.6	85.7	34.1	M20	3/4	UC217-52 UC217	FC217	7.1
UCFC218-56 UCFC218	3-1/2	90	265	220	155.5	22	23	18	20	50	190			78.3	96	39.7	M20	3/4	UC218-56 UC218	FC218	8